
No.



8400150

# THE CONTRES OF ANTERIOR

TO ALL TO WHOM THESE PRESENTS SHAIR COME:

# Asgrow Seed Company

Colhereus, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS BEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT ARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S), AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF LIGHTER AND PERIODIC REPLENISHMENT OF VIABLE BASIC TO THE PAYMENT OF THE REQUIRED FEET AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXPORTING IT, OR EXPORTING IT, OR OFFERING IT FOR SALE, OR REPRODUCING IT, PORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT Y THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SOYBEAN

'A4271'

In Esstimony Wherevot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 31st day of March in the year of our Lord one thousand nine hundred and eighty-six.

Vielad E. Typ

Secretary of Agriculture

Allest

Kenneth H. Erand

Plant Variety Protection Office Agricultural Marketina Louis

		<del></del>		AFROVAL EXFINES 4-30-8:			
U.S. DEPARTMEN AGRICULTURAL N WAREHOUSE	FORM APPROVED: OMB NO. 0581-0055  Application is required in order to determine if a plant variety protection certificate is to						
APPLICATION FOR PLANT VAR (Instruction	IETY PROTI	ECTION CERTIFICATE	be is: held	sued (7 U.S.C. 2421). Information i confidential until certificate is issue S.C. 2426).			
1. NAME OF APPLICANT(S)	<del></del>	2. TEMPORARY DESIGNATION	3. V	ARIETY NAME			
Asgrow Seed Company	XP4271		A4271				
4. ADDRESS (Street and No. or R.F.D. No., City, Sta 9620-190-25 (Gull Road)	ate, and Zip Code	5. PHONE (Include area code)	PVP	FOR OFFICIAL USE ONLY PVPO NUMBER			
Kalamazoo, MI 49001		(616) 385-6605		8400150			
6. GENUS AND SPECIES NAME	7. FAMILY N	AME (Botanical)	FILING	DATE			
Glycine Max	Glycine Max Legum			8/29/84 TIME 8:30 🗓 A.M. 🗍 P.M.			
8. KIND NAME		DATE OF DETERMINATION		AMOUNT FOR FILING			
Soybean Soybean		October 1979	RECEIVED	\$1,800 DATE 8/29/84			
10. IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.)	ON," GIVE FOR		EES REC	AMOUNT FOR CERTIFICATE			
Corporatio	n: Carantana	es esta esta production pe		DATE			
11. IF INCORPORATED, GIVE STATE OF INCORP Delaware		ander de da jago journe et et seus seus de la communicación de la communicación de la communicación de la comm La communicación de la communicació	12. DATE OF INCORPORATION March 22, 1968				
<ul> <li>a. Exhibit A, Origin and Breeding History of the Section 52 of the Plant Variety Protection A</li> <li>b. Exhibit B, Novelty Statement</li> </ul>	ne Variety (See		otectio	,			
15. DOES THE APPLICANT(S) SPECIFY THAT SEE SEED? (See Section 83(a) of the Plant Variety Pro	D OF THIS VAF otection Act.)	RIETY BE SOLD BY VARIETY NAM					
16. DOES THE APPLICANT(S) SPECIFY THAT THE LIMITED AS TO NUMBER OF GENERATIONS?	S VARIETY BE		WHICH	CLASSES OF PRODUCTION			
Yes No		Foundation	R	egistered Certified			
18. DID THE APPLICANT(S) FILE FOR PROTECTION	ON OF THE VAI	RIETY IN THE U.S.?		Yes (If "Yes," give date)			
				X No			
19. HAS THE VARIETY BEEN OFFERED FOR SAL	E OR MARKETI	ED IN THE U.S. OR OTHER COUNT	RIES?	Yes (If "Yes," give name			
			j	✓ of countries and dates)  X No			
20. The applicant(s) declare(s) that a viable samp plenished upon request in accordance with so	ple of basic seed	ds of this variety will be furnishe	d with	<u> </u>			
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in Sovariety Protection Act.	ner(s) of this se	xually reproduced novel plant va	riety, a e prov	and believe(s) that the variety is isions of Section 42 of the Plant			
Applicant(s) is (are) informed that false repre	esentation here	in can jeopardize protection and	result	in penalties.			
SIGNATURE OF APPLICANT			D	ATE			
SIGNATURE OF APPLICANT	es, ad	matata Siring		August 24, 1984			
SYGNATURE OF APPLICANT			P	ATE			

## 8400150

### EXHIBIT A

## Origin and Breeding History of A4271

1977	Original cross (B77029) made at Oxford, Indiana PARENTS: A3860 * Union
1977-78 (fall)	7 F1 plants grown at Delray Beach, Florida under lighted conditions.
1978 (spring)	F2 bulk population grown at Delray Beach, Florida; single pods picked from each plant.
1978	F3 bulk population grown at Oxford, Indiana; single pods picked from
(summer)	each plant.
1978-79 (fall)	F4 bulk population grown at Delray Beach, Florida; single plants threshed from bulk population (B77029)
1979 (summer)	F5 plant rows grown at Oxford, Indiana. Row B79-7971 was selected and bulk harvested.
1980	B79-7971 (later A4271) was grown in a Preliminary test P405 at Oxford, Indiana and Salem, Illinois.
1981	B79-7971 was grown in an advanced Strain test, S401, in 1981 at seven locations. On the basis of these tests, B79-7971 was designated X4271.
1982	X4271 was grown in advanced Variety test V401 at eight locations. On the basis of these tests X4271 was advanced to XP4271. A breeder seed field was rogued extensively to produce 212 lbs. of pure seed. Forty-one

8400150

### Page -2- Exhibit A - Origin and Breeding History

progeny rows were harvested in 1982 and 60+ single plant selections were made to commence a replicated progeny maintenance system in 1983.

1983

XP4271 was grown at eight locations in advanced test V401 and six locations in tests S402. A maintenance test was grown at Stonington, Illinois and Oxford, Indiana to produce breeder seed.

A4271 is uniform and stable within commercially acceptable limits based on trial observations since its development in 1979. As with other soybeans, variants or offtypes can occur for almost any characteristic during the course of repeated sexual multiplication.

mga

Novelty Statement Concerning A4271 Soybean

To our knowledge, the soybean variety that most resembles A4271 is Union. Characteristics that differentiate A4271 include, but are not necessarily limited to the following:

- Phytophthora resistance: A4271 has no major gene resistance and Union has the Rps<sub>1</sub> gene.
- 2. Lodging Resistance: A4271 has consistently better standing ability than Union. At each location in 1983, A4271 stood better than Union and its average rating was 1.5 versus 2.9. (See exhibit D).
- 3. Emergence Score: When both varieties are planted 4" deep in a greenhouse sand test, A4271 has a 2 rating and Union has a 5 rating.
  - 1 = Germination greater than 90%
  - 2 = 71% 90% germination
  - 3 = 41% 70% germination
  - 4 = 21% 40% germination
  - $5 = 0 \sim 20\%$  germination

Asgrow Seed Company
PVP Application - Soybean A4271

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

August 24, 1984

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOYBL	EAN (Glycine max L.)	
NAME OF APPLICANT(S) Asgrow Seed Company	TEMPORARY DESIGNATION XP4271	VARIETY NAME A4271
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co 9620-190-25 Gull Road Kalamazoo, MI 49001	de)	FOR OFFICIAL USE ONLY PVPO NUMBER  8400150
Choose the appropriate response which characterizes the vain your answer is fewer than the number of boxes provided Starred characters are considered fundamental to an adequiven information is available.	l, place a zero in the first box w	hen number is 9 or less (e.g., 0 9).
1. SEED SHAPE:  2   L   W  1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	T 2 = Spherical Flattened (	L/W ratio > 1.2; L/T ratio = < 1.2) ./T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	The state of the s	entre de la companya
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (3	Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	and the second s	
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	oy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
Grams per 100 seeds		er in de la company de la c
5. HILUM COLOR: (Mature Seed)	and the state of t	
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Black	6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		en e
7. SEED PROTEIN PEROXIDASE ACTIVITY:	<del></del> -	
2 1 = Low 2 = High		
B. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )		
). HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; '	bronze band below cotyledons ('W	oodworth';:'Tracy')
). LEAFLET SHAPE:		
3 1 = Lanceplate 2 = Oval 3 = Ovato	A = Other (S:6:1	

	8400150
11. LEAFLET SIZE:	
1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAF COLOR:	
1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
T 13. FLOWER COLOR:	
1 1 = White 2 = Purple 3 = White with purple throat	en e
14. POD COLOR:	
1 T = Tan 2 = Brown 3 = Black	
15, PLANT PUBESCENCE COLOR:	
2 1 = Gray 2 = Brown (Tawny)	
16. PLANT TYPES:	1949 p. 1 - 204 p. 1 - 1
1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLANT HABIT:	
1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MATURITY GROUP:  1 = 000	8 = V
19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	A - 10
BACTERIAL DISEASES:	
★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
★ 2 Bacterial Blight (Pseudomonas glycinea)	en e
★ 0 Wildfire (Pseudomonas tabaci)	Market of the Spirite
FUNGAL DISEASES:	
★ 2 Brown Spot (Septoria glycines)	
Frogeye Leaf Spot (Cercospora sojina)	er ja station til stationer i statione
★ 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other	(Specify)
Target Spot (Corynespora cassiicola)	
Downy Mildew (Peronospora trifoliorum var. manshurica)	
Powdery Mildew (Microsphaera diffusa)	
★ 0 Brown Stern Rot (Cephalosporium gregatum)	
Stem Canker (Diaporthe phaseolorum var. caulivora)	911 f a

19.	DISEA	SE REACTIO	ON: (Enter 0 = Not Tested; 1 = Suscepti	ible: 2 = Resistant)	(Continued)	Supplied to the supplied of th	go de la granda.
			SES: (Continued)		(John Masa)		
*	0		em Blight <i>(Diaporthe phaseolorum</i> var; s	roinat			
	2	•	Stain (Cercospora kikuchii)	iojae)			
	H						
	[0]		a Root Rot (Rhizoctonia solani)				
•	ſΤŢ	Phytophtho	ora Rot (Phytophthara megasperma var.	sojae)		<del>[]</del>	
*		Race 1	Race 2 Race 3	Race 4	Race	Race 6	Race 7
		Race 8	Race 9 Other (Spe	ecify)			
	VIRA	L DISEASES	<b>:</b>				
	0	Bud Blight (	Tobacco Ringspot Virus)				
	0	Yellow Mosa	aic (Bean Yellow Mosaic Virus)			·	
*	0	Cowpea Mos	aic (Cowpea Chlorotic Virus)				
	0	Pod Mottle (	Bean Pod Mottle Virus)				
★	2		(Soybean Mosaic Virus)				
	NFMA	TODE DISE					
			t Nematode (Heterodera glycines)				
★	1	Race 1		1			
	$\equiv$	1	Race 2 1 Race 3	Race 4	Other (	Specify)	
			ode (Hopiolaimus Colombus)			•	·•·
<b>*</b>			ot Knot Nematode (Meloidogyne incogn				
*	0 '	Northern Roc	ot Knot Nematode (Meloidogyne Hapla)	•			
	0 '	Peanut Root I	Knot Nematode (Meloidogyne arenaria)				
	0 1	Reniform Ner	natode (Rotylenchulus reniformis)				
		OTHER DISE	ASE NOT ON FORM (Specify):			·	
						· <del></del>	
10. Př			SPONSES: (Enter 0 = Not Tested; 1 = \$	Susceptible; 2 = Re	sistant)		
` [	≝ "	ron Chlorosis	on Calcareous Soil	*			
Ţ	0	ther <i>(Specify</i>		The state of the state	A SEAN A SEAN		<del></del>
1. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)							
L	0 M	lexican Bean	Beetle (Epilachna varivestis)		n i kan kan kan disamban di kana. Kanan di manan kan di kanan d		
	0 <sub>P</sub>	otato Leaf Ho	opper (Empoasca fabae)	ings and some			`
	0 o	ther (Specify,	/				
2. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.							
<del></del>	HARAC		NAME OF VARIETY		RACTER	NAME OF	VARIETY
Plar	nt Shape		A4268		pat Luster	A3860	<u></u>
Lea	f Shape		Union	Seed Si		Union	Ī
Lea	f Color	1 2 1 2	Union	Seed Si	ia <b>pe</b>	Union	
Leat	f Size		Union	Seedlin	g Pigmentation	Union	
Jy. V.	d. 884		Carlo Control Control Control Control	A CONTRACTOR	AND STREET OF STREET	· · · · · · · · · · · · · · · · · · ·	

#### 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted A4271	134	1.8	95	9	13	41.8	20.8	18.2	· · ·
Name of Similar Variety	133	3.0	104	, 10	14.5	40.9	20.9	19.6	in a grant of the second

#### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A<sub>2</sub> in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

## RECEIVED



EXHIBIT D

## Additional Description of the Variety

Lodging Ratings, 1983 (1 = upright, 5 = prostrate)

8400150

	A4271	Union	# Reps	CV	LSD
Evansville, IN	1.8	3.5	4	18.1	.6
southern Illinois	1.8	3.1	4	20.1	.6
Stonington, IL -NR	1.5	2.6	4	19.4	.5
Stonington, IL -WR	1.6	3.4	4	16.8	.6
Franklin, KY	1.0	1.6	4	11.9	.2
AVERAGE	1.5	2.9	•		